



# IMAGINE THE VIEW FROM THE SUMMIT



## SPECIFICATIONS

### Summit Controller Units

MODEL	DESCRIPTION	DIMENSIONS	FEATURES	BASE AND SIDECAR OPTIONS
<b>SVM</b>	Summit Value Model, Slide Out Touch Screen	19.25"H x 10.2"W x 14.9"D 70 lbs / 31.75 kg	<ul style="list-style-type: none"> <li>Great entry-level option to smart safes</li> <li>Compact footprint</li> <li>Single validator with 1200 note cassette</li> <li>External thermal receipt printer included</li> </ul>	10" Riser (No Door) 10" Electronic Keypad Base 10" Mechanical Base
<b>SV2</b>	Summit Dual Validator, Slide Out Touch Screen	23"H x 14.5"W x 24"D 226 lbs / 103 kg	<ul style="list-style-type: none"> <li>Dual bill validators with options for single or bulk note feed</li> <li>Standard (1200 note) or Extended (2200 note) cassettes</li> <li>10" slide-out touch screen</li> <li>Integrated high-speed thermal printer</li> <li>Validator gate restricts access to validator heads</li> </ul>	7" Riser (No Door) 18" High Riser (No Door) 7" Electronic Base 7" Mechanical Base 7" Electronic Sidecar 15" Electronic Sidecar
<b>SV2-C1</b>	Summit Dual Validator, Compact, Slide Out Touch Screen	20.6"H x 14.5"W x 22"D 193 lbs / 95 kg	<ul style="list-style-type: none"> <li>Dual bill validators with options for single or bulk note feed</li> <li>Standard (1200 note) cassettes</li> <li>7" slide-out touch screen</li> <li>Integrated high-speed thermal printer</li> <li>Compact height</li> </ul>	7" Riser (No Door)
<b>SV2-UL291</b>	Summit Dual Validator, High Security, Slide Out Touch Screen	28.25"H x 18"W x 24"D 527 lbs / 239 kg	<ul style="list-style-type: none"> <li>UL-291 rated for higher security</li> <li>Fully welded construction with 100,000 psi steel</li> <li>UL approved re-locker, full-length dead lug, and anti-pry pinned door</li> <li>Dual bill validators with options for single or bulk note feed</li> <li>Standard (1200 note) or Extended (2200 note) cassettes</li> <li>10" slide-out touch screen with integrated high-speed thermal printer</li> </ul>	NA
<b>UNA-ST</b>	Universal Note Acceptor, Integrated Touch Screen	25"H x 13.5"W x 23"D 187 lbs / 104 kg	<ul style="list-style-type: none"> <li>Bill validating safe with built-in touch screen</li> <li>Available in 1 or 2 validator configurations</li> <li>Rapid bill validation</li> <li>Available MEI options include standard or high capacity cassettes, and single note or bulk note feeds</li> <li>High speed thermal printer</li> </ul>	7" Riser (No Door) 18" Riser (No Door) 7" Electronic Lock Base 7" Mechanical Lock Base 7" Electronic Lock Sidecar 7" Mechanical Lock Sidecar 15" Electronic Lock Sidecar
<b>SM1</b>	Summit "Mini" Single Validator, Slide Out Touch Screen	20.7"H x 10"W x 22.5"D 125 lbs / 57 kg	<ul style="list-style-type: none"> <li>Small footprint single bill validating safe with built-in touch screen drawer</li> <li>MEI validator with options that include standard or high capacity cassettes and single note or bulk note feeds</li> <li>High speed thermal printer included</li> </ul>	10" Riser (No Door) 10" Electronic Lock Base 10" Mechanical Lock Base
<b>MCU-S</b>	Stand Alone Control Console	3"H x 10"W x 9.6"D 10 lbs / 4.5 kg	<ul style="list-style-type: none"> <li>Stand-alone touch screen console</li> <li>Designed to be placed anywhere, even hung on a wall</li> <li>Solution for single safe configurations and if bill validating not needed</li> <li>High speed thermal printer included</li> </ul>	NA

### Summit Peripheral Units


MODEL	DESCRIPTION	DIMENSIONS	FEATURES	BASE AND SIDECAR OPTIONS
<b>UTD</b>	Universal Tube Dispenser	31.5"H x 13.75"W x 23"D Handle adds 2.625" to depth 260 lbs / 118 kg	<ul style="list-style-type: none"> <li>Coin/currency tube dispenser with 80 tube capacity</li> <li>8 columns with 10 tube capacity, each column can be configured to any denomination</li> <li>Tubes are automatically counted when they are loaded and dispensed</li> <li>Lower capacity and smaller footprint makes this the ideal coin solution for locations with limited space and/or lower coin dispensing needs</li> </ul>	NA
<b>UCD</b>	Universal Coin Dispenser	<b>4 HOPPER:</b> 32"H x 17.75"W x 25"D 444 lbs / 197 kg <b>6 HOPPER:</b> 32"H x 22"W x 25"D 536 lbs / 240 kg <b>8 HOPPER:</b> 32"H x 26.25"W x 25"D 627 lbs / 281 kg	<ul style="list-style-type: none"> <li>High capacity, high speed rolled coin vending</li> <li>Available in 4, 6, and 8 hopper configurations</li> <li>Available with optional JCM DBV-500 validator in the door to buy and vend your coin from a single safe</li> <li>No tubes needed for coin, use the paper or plastic wrapped coin rolls as they come from the bank</li> <li>Tubes are available for dispensing paper currency</li> </ul>	NA
<b>UND</b>	Universal Note Dispenser	25"H x 10"W x 24"D 256 lbs / 116 kg	<ul style="list-style-type: none"> <li>High speed note dispensing safe</li> <li>Utilizes the Fujitsu F53S note dispenser</li> <li>4 cassettes with 500 note capacity each</li> <li>Cassette currency is customizable to fit individual requirements</li> </ul>	7" Riser (No Door)

# SUMMIT

## Cloud-based technology.


The Summit Series validating safes provide the latest technology to day-to-day cash processing, leveraging our Summit Control and Summit View web portals to make daily cash handling information available to your entire organization. With immediate view of cash activities across single or multiple locations, the ability to maximize cash flow and reduce cash shrinkage is greatly enhanced.

- Simple intuitive interface
- Real-time web-based reporting
- Remote configuration management
- Plug & play installation
- Secure, reliable, operating system
- Solid state architecture
- cloud-based business intelligence system
- State-of-the-art encryption for secure communications
- Ability to clear bill jams without needing a service tech
- Space saving design
- Available with high-capacity cassettes and/or bulk note feeders (select models)



### Summit Control

Summit Series devices have full remote management access via Summit Control, an intuitive web-based service portal. Through a highly secure connection, companies can maintain constant contact with their deployed devices and perform a comprehensive set of activities including system administration, device monitoring, user management, and reporting.





CLOUD BASED  
SECURE  
RELIABLE  
CASH MANAGEMENT  
REMOTE MANAGEMENT  
VALIDATING SAFES  
IMMEDIATE  
PORTAL  
INTUITIVE  
WEB-BASED REPORTING  
CONTROL

